

## Door Sill Protectors

Art.: 05.1647.0000

Plastic bag 2 pieces

Door Sill Protectors are high-quality self-adhesive plastic protective films for the protection of door entries. This pre-cut format of [Protection Film](#) has rounded corners and is deliverable in textured black.



Base:	Vinyl foil
Dimensions:	56 cm x 5,5 cm x 0,19 mm (with rounded corners)
Adhesive strength:	After 20 hours / 90°C: 500 N/m <sup>2</sup> After 24 hours / 90°C: 530 N/m <sup>2</sup> After 20 hours / 180°C: 600 N/m <sup>2</sup>
Temperature resistance:	-40°C to +95°C
UV resistance:	Good
Water resistance:	Good
Solvent resistance:	Moderate
Application conditions:	+10°C to +50°C
Type of surface:	On almost every smooth surface
Surface preparation:	The surface must be clean, dry and free of grease. Clean surfaces with Innotec <a href="#">Multisol</a> or Innotec <a href="#">Seal and Bond Remover</a> .
Application method:	Cut the required film to size with scissors or knife. <u>Dry application:</u> Lay the film and press on or wipe over with a plastic spatula ( <a href="#">Blade for Striping</a> ) and cloth (Innotec <a href="#">Multi Wipe</a> ). <u>Wet application:</u> Spray Innotec <a href="#">Application Activator</a> liberally over the place to be covered with the film. Then place and position the film. Remove any air and <a href="#">Application Activator</a> present under the film with a plastic spatula and a clean, dry cloth (Innotec <a href="#">Multi Wipe</a> ).
Correction time:	5 minutes
Cleaning of hands:	With Innotec <a href="#">Safe Hand Clean Plus</a> and water
Shelf life:	2 years in original, unopened packaging
Storage conditions:	Store cool and dry, at a temperature between +5°C and 20°C
EAN Code:	5400563026380

This technical info sheet replaces all previous versions.





All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. Only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.

If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.

